California Public Utilities Commission Service Quality Standards Reporting General Order No. 133-D

Company Name:	Consolidated Communications	U#:	U-1015-C	Report Year:	2023
Reporting Unit Type:	☑ Total Company ☐ Exchange ☐ Wire Center	Reporting Unit N	Name:	Total Company - Consolidated Communications	

Measurement (Compile monthly, file quarterly)		Date filed (05/2023) 1st Quarter			Date filed (08/2023) 2nd Quarter			Date filed 3rd Quarter			Date filed (01/2024) 4th Quarter					
				Mar	Apr May Jun				Sept			Dec				
		Total # of business days	1													
Installation Interval Min. standard = 5 bus. days		Total # of service orders														
		Avg. # of business days														
Installation Commitment		Total # of installation commitments														
		Total # of installation commitment met														
/lin. standard = 95	5% commitment met	Total # of installation commitment missed														
		% of commitment met														
customers		Acct # for voice or bundle, res+bus	8,669	8,558	8,456	8.308	8.156	8.050	8.048	7.754	7.716	7.292	7.261	7,201 sum 72G a	and 78G	
Customer Troubl	le Report		9,007	2,500	9,110	0,000	2,1.0.0	0,000								
		Total # of working lines	13,054	12,903	12,758	12,520	12,278	12,111	11,102	10,707	10,640	10,087	10,035	9,998 sum 72G a	and 78G	
	6% (6 per 100 working lines for	Total # of trouble reports	134	94	88	191	155	199	0	0	4	-	-	-		
2	units w/ ≥ 3,000 lines)	% of trouble reports	1.03%	0.73%	0,69%	1.53%	1.26%	1.64%	0.00%	0.00%	0.04%	0.00%	0.00%	0.00%		
쁄		Total # of working lines														
fa	8% (8 per 100 working lines for	Total # of trouble reports														
σ.	units w/ 1,001 - 2,999 lines)	% of trouble reports														
Ę																
~	10% (10 per 100 working lines for	Total # of working lines														
	units w/ ≤ 1,000 lines)	Total # of trouble reports														
		% of trouble reports		1	0		2	-		0	0					
		Total # of outage report tickets	9	0	0	/	2	1	- 0	0	0	-	-	-		
djusted Out of Service Re		Total # of repair tickets restored in ≤ 24hrs	1	0	0	09/	0	1	0	0	0	-	-	-		
Nin. standard = 90		% of repair tickets restored ≤ 24 Hours	11%	0%	#DIV/0!	070	0%	100%	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!		
iin. standard = 90	U% WILIIII 24 HIS	Sum of the duration of all outages (hh:mm)	815:29:29 90:36:37	83:20:46	0:00:00	173:09:16		21:30:41	0:00:00	0:00:00	0:00:00	0:00:00	0:00:00	0:00:00		
		Avg. outage duration (hh:mm)	2 010 010 1	83:20:46	#DIV/0!	24:44:11	10	21:30:41	#DIV/0!	#DIV/0!	10.774	#DIV/0!	#DIV/0!	#DIV/0!		
Unadjusted		Total # of outage report tickets	44	19	6	23	18	26	0	0	#N/A	-	#N/A	#N/A		
		Total # of repair tickets restored in ≤ 24hrs	1	5	5	2	3	1	0	0	0	-	-			
Out of Service Report	% of repair tickets restored ≤ 24 Hours	2.3%	26.3%	83.3%	8.7%	16.7%	3.8%	#DIV/0!	#DIV/0!	#N/A	#DIV/0!	#N/A	#N/A			
Refunds		Sum of the duration of all outages (hh:mm)	3146:46:17	1322:06:32	256:39:20	857:58:14	662:28:25	587:19:49	0:00:00	0:00:00	0:00:00	0:00:00	0:00:00	0:00:00		
		Avg. outage duration (hh:mm)	71:31:03	69:35:05	42:46:33	37:18:11	36:48:15	22:35:23	#DIV/0!	#DIV/0!	#N/A	#DIV/0!	#N/A	#N/A		
		Number of customers who received refunds	0	0	0	2	3	2	0	0	0			sum 72G a		
		Monthly amount of refunds	0	0	0	65	57	110	5 - \$	- S				sum 72G a	ind 78G	
	uble Reports, Billing & Non-Billing)															
Min. standard = 80% of calls ≤ 60 seconds to reach		Total # of calls for TR, Billing & Non-Billing	16,298	13,731	15,024	7,297	7,288	22,339						WIIQPDGT		Updated Q1
live agent (w/a menu option to reach live agent).		Total # of call seconds to reach live agent	3,380,555	2,133,824	1,279,167	1,259,634	590,212	2,945,870						WIIQPDGT		Updated Q1
		% <u><</u> 60 seconds	51.3%	60.9%	71.8%	73.4%	76.4%	68.8%						WIIQPDGT	Г06	Updated Q1

Primary Utility Contact Information

Name: Julie Poon	Phone: 916-786-1034	Email:	julie.poon@consolidated.com	

Date Adopted: 7/28/09
Date Revised: 12/08/09 (Corrects typographical errors)
Date Revised: 05/04/10 (Added new lines and changed terms to reflect requirements of G.O.133-C)
Date Revised: 09/15/15 (Added new rows to reflect requirements of G.O. 133-D)