



Resource Adequacy Phase 3 Proposal

February 7, 2017

CESA Members

Board Members



General Members

Amber Kinetics

Bright Energy Storage

Brookfield Renewables

Consolidated Edison

Development

Customized Energy

Solutions

Demand Energy

Doosan GridTech

Eagle Crest Energy

EDF Renewable Energy

ElectriQ Power

Energy Storage Systems

eMoterWerks

Enphase Energy

Geli

Green Charge Networks

Greensmith Energy

Gridscape Solutions

Gridtential Energy

Hitachi Chemical Company

IESoftware

Johnson Controls

Lockheed Martin AES

Mercedes Benz R&D NA

NEC Energy Solutions

NEXTracker

NGK Insulators

NICE America Research

OutBack Power

Technologies

Parker Hannifin

Corporation

Qnovo

Recurrent Energy

RES Americas

Sharp Labs

Southwest Generation

Sovereign Energy

STOREME Inc.

Sumitomo Electric

Sunrun

Swell Energy

Tri-Technic

Yunicos

Phase 3 is an opportunity to tune Flex RA

- » Three hour product selected in 2012 as starting point to “ensure the ISO could meet its ramping and contingency needs and enable a large pool of resources to qualify as flexible capacity resources” (FRACMOO Straw Proposal Dec 2012)
- » Original product was created for future tuning and refinement
- » Product can be tuned to better address multiple CAISO-identified issues:
 - Insufficient ramping speed
 - Cycle time for determining daily start requirements for base flexible capacity requires additional clarity
 - High minimum operating levels from both RA and flexible RA
 - Some quantities of long start resources may limit the ISO’s ability to address real-time flexibility needs

Flex RA can be tuned to better meet need

Current 3-hour product

- » Insufficient ramping speed
- » High minimum operating levels from both RA and flexible RA
- » Significant quantities of long start resources may limit the ISO's ability to address real-time flexibility needs

Proposed 2 hour product

- » Shorter duration resources can better meet ramping speed
- » Shorter duration measure may ensure ISO commit more helpful resources for flex needs
- » Shorter-measures reduce 'count' of resources likely unavailable for flexibility needs, e.g. real-time commitments